

Safety data sheet
according to UK REACH

Printing date 28.06.2024

Version number 11 (replaces version 10)

Revision: 28.06.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** *WAKOL D 3060 Plastification Additive*
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** *Adhesives*
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
*WAKOL GmbH
Bottenbacher Str. 30
D-66954 Pirmasens
info@wakol.com
+49 6331 8001 0*
- **Informing department:**
*Product safety department.
msds@wakol.de*
- **1.4 Emergency telephone number:**
*Emergency CONTACT (24-Hour-Number):
GBK GmbH Global Regulatory Compliance +49 (0)6132-84463*

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms** *Void*
- **Signal word** *Void*
- **Hazard statements**
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**
*P273 Avoid release to the environment.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **Additional information:**
Contains a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
 - **Description:** *Adhesive*
 - **Dangerous components:**
- | | | |
|---------------------------|---|--------------|
| CAS: 119345-04-9 | Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, | >0.1- <0.25% |
| EC number: 601-601-6 | sodium salts | |
| Reg.nr.: 01-2119492361-39 | ☠ Repr. 2, H361fd; ☠ Eye Dam. 1, H318; ☠ Aquatic
Chronic 2, H411 | |

(Contd. on page 2)

Safety data sheet
according to UK REACH

Printing date 28.06.2024

Version number 11 (replaces version 10)

Revision: 28.06.2024

Trade name: WAKOL D 3060 Plastification Additive

(Contd. of page 1)

CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	<0.1%
EINECS: 220-120-9	☠ Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400;	
Reg.nr.: 01-2120761540-60	☠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	
	Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	
CAS: 52-51-7	bronopol (INN)	≥0.0025–<0.025%
EINECS: 200-143-0	☠ Acute Tox. 3, H301; Acute Tox. 3, H331; ☠ Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=10); ☠ Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 55965-84-9	a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)	≥0.00025–<0.0025%
EC number: 611-341-5		
Reg.nr.: 01-2120764691-48	☠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ☠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ☠ Skin Sens. 1A, H317, EUH071	
	Specific concentration limits:	
	Skin Corr. 1C; H314: C ≥ 0.6 %	
	Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 %	
	Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %	
	Skin Sens. 1A; H317: C ≥ 0.0015 %	

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing** Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

Safety data sheet according to UK REACH

Printing date 28.06.2024

Version number 11 (replaces version 10)

Revision: 28.06.2024

Trade name: WAKOL D 3060 Plastification Additive

(Contd. of page 2)

- **5.3 Advice for firefighters**
- **Protective equipment:** Mount respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation
- **6.2 Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Dilute with plenty of water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Protect from frost.
Store in cool, dry conditions in well sealed receptacles.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
 - **Components with critical values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
 - **DNELs**
-
- 119345-04-9 Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts**
- Oral DNEL 0.6 mg/kg (consumers (Long-term))
Dermal DNEL 0.6 mg/kg (consumers (Long-term))
1.2 mg/kg (workers (Long-term))
Inhalative DNEL 1.1 mg/m³ (consumers (Long-term))
4.4 mg/m³ (workers (Long-term))
- 2634-33-5 1,2-benzisothiazol-3(2H)-one**
- Dermal DNEL 0.345 mg/kg/day (consumers (Long-term))
0.966 mg/kg/day (workers (Long-term))

(Contd. on page 4)

Safety data sheet
according to UK REACH

Printing date 28.06.2024

Version number 11 (replaces version 10)

Revision: 28.06.2024

Trade name: WAKOL D 3060 Plastification Additive

(Contd. of page 3)

*Inhalative DNEL 1.2 mg/m³ (consumers (Long-term))**6.81 mg/m³ (workers (Long-term))***52-51-7 bronopol (INN)***Oral DNEL 1.1 mg/kg/day (consumers (Short-term))**0.35 mg/kg/day (consumers (Long-term))**Dermal DNEL 4.2 mg/kg/day (consumers (Short-term))**1.4 mg/kg/day (consumers (Long-term))**7 mg/kg/day (workers (Short-term))**2.3 mg/kg/day (workers (Long-term))**Inhalative DNEL 3.7 mg/m³ (consumers (Short-term))**1.2 mg/m³ (consumers (Long-term))**12.3 mg/m³ (workers (Short-term))**4.1 mg/m³ (workers (Long-term))***PNECs****119345-04-9 Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts***PNEC 0.031 mg/l (Freshwater)**0.003 mg/l (Sea water)**1 mg/l (Purification plant)**PNEC 0.63 mg/kg (Soil)**0.324 mg/kg (Sediment (Sea water))**3.24 mg/kg (Sediment (Freshwater))***2634-33-5 1,2-benzisothiazol-3(2H)-one***PNEC 4.03 µg/l (Freshwater)**0.403 µg/l (Sea water)**PNEC 1.03 mg/l (Purification plant)**PNEC 3 mg/kg (Soil)**0.00499 mg/kg (Sediment (Sea water))**0.0499 mg/kg (Sediment (Freshwater))***52-51-7 bronopol (INN)***PNEC 0.01 mg/l (Freshwater)**0.0008 mg/l (Sea water)**0.0025 mg/l (Water - partially release)**0.43 mg/l (Purification plant)**PNEC 0.5 mg/kg (Soil)**0.00328 mg/kg (Sediment (Sea water))**0.041 mg/kg (Sediment (Freshwater))***55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)***PNEC 0.00339 mg/l (Freshwater)**0.00339 mg/l (Sea water)*

(Contd. on page 5)

Safety data sheet
according to UK REACH

Printing date 28.06.2024

Version number 11 (replaces version 10)

Revision: 28.06.2024

Trade name: WAKOL D 3060 Plastification Additive

(Contd. of page 4)

0.00339 mg/l (Water - partially release)

0.23 mg/l (Purification plant)

PNEC 0.01 mg/kg (Soil)

0.027 mg/kg (Sediment (Sea water))

0.027 mg/kg (Sediment (Freshwater))

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

· **Breathing equipment:** Not necessary if room is well-ventilated.

· **Hand protection**



Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

· **Material of gloves**

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.35 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Tightly sealed goggles

· **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Fluid

· **Colour:**

White

· **Smell:**

Characteristic

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Undetermined.

· **Boiling point or initial boiling point and boiling range**

100 °C

· **Flammability**

Not applicable.

(Contd. on page 6)

Safety data sheet
according to UK REACH

Printing date 28.06.2024

Version number 11 (replaces version 10)

Revision: 28.06.2024

Trade name: WAKOL D 3060 Plastification Additive

(Contd. of page 5)

· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Decomposition temperature:	Not determined.
· pH at 20 °C	7.5
· Viscosity:	
· Kinematic viscosity at 20 °C	55 s (DIN 53211/4)
· kinematic (calculated) at 40°C:	
· dynamic:	Not determined.
· Solubility	
· Water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Steam pressure at 20 °C:	23 hPa
· Density and/or relative density	
· Density at 20 °C	1.03 g/cm ³ (EN ISO 2811-1)
· Relative density	Not determined.
· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· VOC	0.00 %
· Solids content:	32.9 % (DIN EN 827.8.2)
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

GB

(Contd. on page 7)

Safety data sheet according to UK REACH

Printing date 28.06.2024

Version number 11 (replaces version 10)

Revision: 28.06.2024

Trade name: WAKOL D 3060 Plastification Additive

(Contd. of page 6)

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values that are relevant for classification:**
 - 119345-04-9 Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts**
 - Oral LD50 >2,000 mg/kg (Rat)
 - Dermal LD50 >2,000 mg/kg (Rabbit)
 - 2634-33-5 1,2-benzisothiazol-3(2H)-one**
 - Oral LD50 1,193 mg/kg (Rat)
 - Dermal LD50 4,115 mg/kg (Rat)
 - 52-51-7 bronopol (INN)**
 - Oral LD50 193 mg/kg (Rat)
 - Dermal LD50 1,600 mg/kg (Rat)
 - 55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)**
 - Oral LD50 64 mg/kg (Rat)
 - Dermal LD50 87.12 mg/kg (rabbit)
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**
 - None of the ingredients is listed.

GB

(Contd. on page 8)

Safety data sheet
according to UK REACH

Printing date 28.06.2024

Version number 11 (replaces version 10)

Revision: 28.06.2024

Trade name: WAKOL D 3060 Plastification Additive

(Contd. of page 7)

SECTION 12: Ecological information**12.1 Toxicity****Aquatic toxicity:****2634-33-5 1,2-benzisothiazol-3(2H)-one**LC50/96h 2.18 mg/l (*Oncorhynchus mykiss*)2.2 mg/l (*Lepomis macrochirus*)EC50/18h 0.4 mg/l (*Pseudomonas putida*)EC50/48h 2.94 mg/l (*Daphnia magna*)EC50/72h 0.067 mg/l (*Pseudokirchneriella subcapitata*)EC0 1 mg/l (*Daphnia magna*)**52-51-7 bronopol (INN)**LC50/96h 3 mg/l (*Oncorhynchus mykiss*)EC50/48h 1.04 mg/l (*Daphnia magna*)EC50/72h 0.068 mg/l (*Anabaena flos aqua*)**55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)**NOEC/48h 0.00064 mg/l (*Skeletonema costatum*)NOEC/21d 0.004 mg/l (*Daphnia magna*)LC50/96h 0.188 mg/l (*Oncorhynchus mykiss*)

EC20/3h 0.97 mg/l (sludge)

EC50/48h 0.126 mg/l (*Daphnia magna*)

EC50/3h 7.92 mg/l (sludge) (OECD 209)

EC50/72h 0.048 mg/l (*Pseudokirchneriella subcapitata*)EC50/96h 0.22 mg/l (*Oncorhynchus mykiss*)NOEC/72h 0.0012 mg/l (*Pseudokirchneriella subcapitata*)· **12.2 Persistence and degradability** No further relevant information available.· **12.3 Bioaccumulative potential** No further relevant information available.· **12.4 Mobility in soil** No further relevant information available.**12.5 Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects**Additional ecological information:****General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

GB

(Contd. on page 9)

Safety data sheet
according to UK REACH

Printing date 28.06.2024

Version number 11 (replaces version 10)

Revision: 28.06.2024

Trade name: WAKOL D 3060 Plastification Additive

(Contd. of page 8)

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Must be specially treated adhering to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleaning agent:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- **14.1 UN number or ID number**
- **ADR, ADN, IMDG, IATA** Void
- **14.2 UN proper shipping name**
- **ADR, ADN, IMDG, IATA** Void
- **14.3 Transport hazard class(es)**
- **ADR, ADN, IMDG, IATA**
- **Class** Void
- **14.4 Packing group**
- **ADR, IMDG, IATA** Void
- **14.5 Environmental hazards:** Not applicable.
- **14.6 Special precautions for user** Not applicable.
- **14.7 Maritime transport in bulk according to IMO instruments** Not applicable.
- **Transport/Additional information:** Not dangerous according to the above specifications.
- **UN "Model Regulation":** Void

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**
- **Regulated explosives precursors**
None of the ingredients is listed.
- **Regulated poisons**
None of the ingredients is listed.
- **Reportable explosives precursors**
None of the ingredients is listed.
- **Reportable poisons**
None of the ingredients is listed.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations**
- **GEV-Guideline/EMICODE:** EC 1 plus, "very low emission"
- **VOC (EU)** 0.0 g/l

(Contd. on page 10)

Safety data sheet according to UK REACH

Printing date 28.06.2024

Version number 11 (replaces version 10)

Revision: 28.06.2024

Trade name: WAKOL D 3060 Plastification Additive

(Contd. of page 9)

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H335 May cause respiratory irritation.
- H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

· Abbreviations and acronyms:

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- DNEL: Derived No-Effect Level (UK REACH)
- PNEC: Predicted No-Effect Concentration (UK REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Acute Tox. 3: Acute toxicity – Category 3
- Acute Tox. 4: Acute toxicity – Category 4
- Acute Tox. 2: Acute toxicity – Category 2
- Skin Corr. 1C: Skin corrosion/irritation – Category 1C
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- Skin Sens. 1: Skin sensitisation – Category 1
- Skin Sens. 1A: Skin sensitisation – Category 1A
- Repr. 2: Reproductive toxicity – Category 2
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
- Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
- Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3