

Printing date 22.06.2022 Version number 10 (replaces version 6) Revision: 22.06.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: WAKOL MS 335 Repair Resin
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Priming
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

WAKOL GmbH Bottenbacher Str. 30 D-66954 Pirmasens info@wakol.com +49 6331 8001 0

· Informing department:

Product safety department. msds@wakol.de

· 1.4 Emergency telephone number:

Emergency CONTACT (24-Hour-Number):

GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · Additional information: Markings on the basis of internal knowledge (See section 11).
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Adhesive
- Dangerous components:

CAS: 13822-56-5 3-(trimethoxysilyl)propylamine

>1-<u><</u>2.5%

EINECS: 237-511-5 Reg.nr.: 01-2119510159-45

💎 Eye Dam. 1, H318; 🕠 Skin Irrit. 2, H315

· Additional information For the wording of the listed hazard phrases refer to section 16.

GB -



Printing date 22.06.2022 Version number 10 (replaces version 6) Revision: 22.06.2022

Trade name: WAKOL MS 335 Repair Resin

(Contd. of page 1)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air.
- · After skin contact Clean with water and soap. If possible, also wash with polyethylene glycol 400.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Mount respiratory protective device.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Use only in well ventilated areas.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- ·Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from humidity and water.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

GB



Printing date 22.06.2022 Version number 10 (replaces version 6) Revision: 22.06.2022

Trade name: WAKOL MS 335 Repair Resin

(Contd. of page 2)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

13822-56-5 3-(trimethoxysilyl)propylamine

Oral DNEL 5 mg/kg/day (conmsumer (long-term))

Dermal DNEL 5 mg/kg/day (consumer (short-term))

5 mg/kg/day (conmsumer (long-term))

8.3 mg/kg/day (workers (short-term))

8.3 mg/kg/day (workwr (long-term))

Inhalative DNEL 17.4 mg/m³ (consumer (short-term))

17 mg/m³ (conmsumer (long-term))

58 mg/m³ (workers (short-term))

58 mg/m³ (workwr (long-term))

· PNECs

13822-56-5 3-(trimethoxysilyl)propylamine

PNEC 0.33 mg/l (freshwater)

0.033 mg/l (sea water)

3.3 mg/l (water - partially release)

13 mg/l (STP)

PNEC 0.26 mg/kg (sediment)

0.04 mg/kg (soil)

· Additional information:

The lists valid during the making were used as basis.

See Section 10.

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Hand protection



Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.35 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)



Printing date 22.06.2022 Version number 10 (replaces version 6) Revision: 22.06.2022

Trade name: WAKOL MS 335 Repair Resin

(Contd. of page 3)

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

· **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Smell:
Odour threshold:
Melting point/freezing point:

Fluid

Transparent
Characteristic
Not determined.

Undetermined.

· Boiling point or initial boiling point and boiling

range Undetermined. · Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: >100 °C
Decomposition temperature: Not determined.
pH at 20 °C
11.3 (ISO 976)

· Viscosity:

• Kinematic viscosity Not determined.

kinematic (calculated) at 40°C:

- dynamic at 20 °C: 950 mPas (ISO 2555)

Solubility

· Water: Not miscible or difficult to mix.

• Partition coefficient n-octanol/water (log value) Not determined. • Steam pressure: Not determined.

· Density and/or relative density

• **Density at 20 °C** 1.1 g/cm³ (EN ISO 2811-1)

Relative density
Vapour density
Not determined.
Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid
· Important information on protection of health and

environment, and on safety.

· Self-inflammability: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

• Organic solvents: 0.0 %
• VOC 0.0 %

(Contd. on page 5)



Printing date 22.06.2022 Version number 10 (replaces version 6) Revision: 22.06.2022

Trade name: WAKOL MS 335 Repair Resin

| Change in condition Evaporation rate Not determined. Information with regard to physical hazard classes Explosives Void Aerosols Oxidising gases Void Gases under pressure Void Flammable liquids Flammable solids Void Self-reactive substances and mixtures Pyrophoric liquids Void Self-heating substances and mixtures Substances and mixtures Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Void Oxidising solids Void | | | |
|--|---|-----------------|--------------------|
| Evaporation rate Information with regard to physical hazard classes Explosives Void Flammable gases Void Aerosols Oxidising gases Void Gases under pressure Flammable liquids Flammable solids Void Self-reactive substances and mixtures Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures Void Void Void Void Void Oxidising liquids Void Void Void | | | (Contd. of page 4) |
| Information with regard to physical hazard classes Explosives Void Flammable gases Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures Void Substances and mixtures Void Substances and mixtures Void Oxidising liquids Void Oxidising solids Void | · Change in condition | | |
| Explosives Flammable gases Void Aerosols Oxidising gases Void Gases under pressure Flammable liquids Flammable liquids Flammable solids Void Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void Oxidising solids Void | · Evaporation rate | Not determined. | |
| Explosives Flammable gases Void Aerosols Oxidising gases Void Gases under pressure Flammable liquids Flammable liquids Flammable solids Void Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void Oxidising solids Void | Information with regard to physical hazard | classes | |
| · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Oxidising liquids Void · Oxidising solids Void | • • • • | | |
| Oxidising gases Gases under pressure Void Flammable liquids Flammable solids Void Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures Void Substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void Oxidising solids | · Flammable gases | Void | |
| · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void | · Aerosols | Void | |
| · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void | · Oxidising gases | Void | |
| Flammable solids Self-reactive substances and mixtures Void Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void Oxidising solids Void | | Void | |
| Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void Oxidising solids | · Flammable liquids | Void | |
| Pyrophoric liquids Pyrophoric solids Void Self-heating substances and mixtures Substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Void Oxidising solids Void | · Flammable solids | Void | |
| · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void | · Self-reactive substances and mixtures | Void | |
| · Self-heating substances and mixtures · Substances and mixtures, which emit flammable gases in contact with water · Oxidising liquids · Oxidising solids Void | · Pyrophoric liquids | Void | |
| · Substances and mixtures, which emit flammable gases in contact with water · Oxidising liquids · Oxidising solids · Void | · Pyrophoric solids | Void | |
| gases in contact with water Void Oxidising liquids Void Oxidising solids Void | · Self-heating substances and mixtures | Void | |
| • Oxidising liquids Void • Oxidising solids Void | · Substances and mixtures, which emit flamn | ıable | |
| · Oxidising solids Void | gases in contact with water | Void | |
| - · · · · · · · · · · · · · · · · · · · | · Oxidising liquids | Void | |
| · Organic peroxides Void | · Oxidising solids | Void | |
| | · Organic peroxides | Void | |

Void

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability

Corrosive to metalsDesensitised explosives

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.
- · Additional information: Product releases low quantities of methanol during appropiated application.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

13822-56-5 3-(trimethoxysilyl)propylamine

 Oral
 LD50
 4,000 mg/kg (rat)

 Dermal
 LD50
 >10,000 mg/kg (rabbit)

Inhalative ATE mix 4h 618 mg/l (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Based on available data, the classification criteria are not met (No irritant effect - OECD 405).

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 22.06.2022 Version number 10 (replaces version 6) Revision: 22.06.2022

Trade name: WAKOL MS 335 Repair Resin

(Contd. of page 5)

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

13822-56-5 3-(trimethoxysilyl)propylamine

LC50/96h >934 mg/l (Danio rerio)

EC50/48h 331 mg/l (Daphnia magna)

EC50/72h > 1,000 mg/l (Desmodesmus subspicatus)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, ADN, IMDG, IATA Void

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

(Contd. on page 7)



Printing date 22.06.2022 Version number 10 (replaces version 6) Revision: 22.06.2022

Void

Trade name: WAKOL MS 335 Repair Resin

(Contd. of page 6)

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class

· 14.4 Packing group

· ADR, IMDG, IATA Void

• 14.5 Environmental hazards: Not applicable. • 14.6 Special precautions for user Not applicable.

· 14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

• Transport/Additional information: Not dangerous according to the above specifications.

· UN "Model Regulation": Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · VOC (EU) 0.9 g/l
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

-GB