Revision: 12.04.2022



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.06.2022

Version number 10 (replaces version 8)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: WAKOL R 4515 Tile cleaner
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Basic cleaner
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

WAKOL GmbH Bottenbacher Str. 30 D-66954 Pirmasens info@wakol.com +49 6331 8001 0

· Informing department:

Product safety department. msds@wakol.de

· 1.4 Emergency telephone number:

Emergency CONTACT (24-Hour-Number):

GBK GmbH +49 (0)6132-84463

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

Isotridecanol, ethoxylated (> 5-20 EO)

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

· Precautionary statements

P280

Wear protective gloves / eye protection.

(Contd. on page 2)



Printing date 27.06.2022 Version number 10 (replaces version 8) Revision: 12.04.2022

Trade name: WAKOL R 4515 Tile cleaner

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P332+P313 If skin irritation occurs: Get medical advice/attention.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 111-76-2 2-butoxyethanol

>10-<u><</u>20%

Reg.nr.: 01-2119475108-36 Eye Irrit. 2, H319

ATE: LD50 oral: 1,200 mg/kg

 >5-<u><</u>10%

Reg.nr.: 01-2119976362-32

CAS: 67-63-0 propan-2-ol

>2.5-<u><</u>5%

Reg.nr.: 01-2119457558-25

CAS: 1336-21-6 ammonia, aqueous solution

>0.25-<1%

Reg.nr.: 01-2119488876-14 H400

Specific concentration limit: STOT SE 3; H335:  $C \ge 5$  %

· Additional information For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

GB ·



Printing date 27.06.2022 Version number 10 (replaces version 8) Revision: 12.04.2022

Trade name: WAKOL R 4515 Tile cleaner

(Contd. of page 2)

## SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Dilute with plenty of water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Use only in well ventilated areas.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- ·Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from frost.

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

CD.

(Contd. on page 4)



Printing date 27.06.2022 Version number 10 (replaces version 8) Revision: 12.04.2022

Trade name: WAKOL R 4515 Tile cleaner

(Contd. of page 3)

## SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

#### 111-76-2 2-butoxyethanol

WEL Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm Sk, BMGV

### 67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

#### DNELs

#### 111-76-2 2-butoxyethanol

Oral DNEL 3.2 mg/human/day (conmsumer (long-term))

DNEL 13.4 mg/kg/day (consumer (short-term))

Dermal DNEL 44.5 mg/kg/day (consumer (short-term))

38 mg/kg/day (conmsumer (long-term))

89 mg/kg/day (workers (short-term))

75 mg/kg/day (workwr (long-term))

Inhalative DNEL 49 mg/m³/day (conmsumer (long-term))

DNEL 426 mg/m³ (consumer (short-term))

DNEL 135 ppm (workers (short-term))

20 ppm (workwr (long-term))

### 67-63-0 propan-2-ol

Oral DNEL 26 mg/kg/day (conmsumer (long-term))

Dermal DNEL 319 mg/kg/day (conmsumer (long-term))

888 mg/kg/day (workwr (long-term))

Inhalative DNEL 89 mg/m³ (conmsumer (long-term))

500 mg/m³ (workwr (long-term))

#### 1336-21-6 ammonia, aqueous solution

Inhalative DNEL 28 mg/m³ (workers (short-term))

14 mg/m³ (workwr (long-term))

#### · PNECs

#### 111-76-2 2-butoxyethanol

PNEC 8.8 mg/l (freshwater)

0.88 mg/l (sea water)

463 mg/l (STP)

PNEC 2.8 mg/kg (soil)

3.46 mg/kg (sediment (sea water))

34.6 mg/kg (sediment (freshwater))

(Contd. on page 5)



Printing date 27.06.2022 Version number 10 (replaces version 8) Revision: 12.04.2022

Trade name: WAKOL R 4515 Tile cleaner

(Contd. of page 4)

### 67-63-0 propan-2-ol

PNEC 140.9 mg/l (freshwater)

140.9 mg/l (sea water)

140.9 mg/l (water - partially release)

552 mg/l (sediment (sea water))

552 mg/l (sediment (freshwater))

2,251 mg/l (purification plant)

PNEC 28 mg/kg (soil)

#### 1336-21-6 ammonia, aqueous solution

PNEC 0.165 mg/l (freshwater)

0.0165 mg/l (sea water)

0.28 mg/l (water - partially release)

8.58 mg/l (purification plant)

PNEC 32.3 mg/kg (soil)

0.0165 mg/kg (sediment (freshwater))

## Ingredients with biological limit values:

#### 111-76-2 2-butoxyethanol

BMGV 240 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: butoxyacetic acid

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Hand protection



Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.35$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)



Printing date 27.06.2022 Version number 10 (replaces version 8) Revision: 12.04.2022

Trade name: WAKOL R 4515 Tile cleaner

(Contd. of page 5)

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

· **Body protection:** Protective work clothing

### SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: According to product specification

· Smell: Characteristic · Odour threshold: Not determined. · Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

100 °C range

· Flammability Not applicable.

· Lower and upper explosion limit

· Lower: 1.1 Vol % · Upper: 10.6 Vol % · Flash point: Not applicable. Decomposition temperature: Not determined. · pH at 20 °C 10.6 (ISO 976)

· Viscosity:

· Kinematic viscosity Not determined.

· kinematic (calculated) at 40°C:

Not determined. · dynamic:

Solubility

· Water: Fully miscible. · Partition coefficient n-octanol/water (log value) Not determined. 23 hPa

· Steam pressure at 20 °C:

· Density and/or relative density

0.997 g/cm3 (EN ISO 2811-1) · Density at 20 °C

Not determined. · Relative density · Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

Important information on protection of health and

environment, and on safety.

· Self-inflammability: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

18.0 % · Organic solvents: 18.0 % · **VOC** 

(Contd. on page 7)



Printing date 27.06.2022 Version number 10 (replaces version 8) Revision: 12.04.2022

Trade name: WAKOL R 4515 Tile cleaner

a		(Contd. of page 6)
· Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard	classes	
Explosives	Void	
· Flammable gases	Void	
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification:

### 111-76-2 2-butoxyethanol

Oral LD50 1,200 mg/kg (ATE)

1,746 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rabbit)

Inhalative LC50/4h 10-20 mg/l (rat)

## 69011-36-5 Isotridecanol, ethoxylated (> 5-20 EO)

Oral LD50 >10,000 mg/kg (rat)

67-63-0 propan-2-ol

Oral LD50 5,840 mg/kg (rat)

(Contd. on page 8)



Printing date 27.06.2022 Version number 10 (replaces version 8) Revision: 12.04.2022

Trade name: WAKOL R 4515 Tile cleaner

(Contd. of page 7)

Dermal LD50 13,400 mg/kg (rabbit)

Inhalative LC50/4h 30 mg/l (rat)

· Skin corrosion/irritation

Causes skin irritation.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

### 67-63-0 propan-2-ol

LC50/96h >9,600 mg/l (Brachydanio rerio)

LC50/72h > 1,000 mg/l (algas)

EC50 >1,050 mg/l (bacteriums)

EC50/72h > 1,000 mg/l (algas)

### 1336-21-6 ammonia, aqueous solution

LC50/96h 0.75–3.4 mg/l (Pimephales promelas)

0.53 mg/l (Oncorhynchus mykiss)

0.26-4.6 mg/l (Lepomis macrochirus)

EC50/48h 25.4 mg/l (Daphnia pulex)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

GB ·



Printing date 27.06.2022 Version number 10 (replaces version 8) Revision: 12.04.2022

Trade name: WAKOL R 4515 Tile cleaner

(Contd. of page 8)

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary together with cleansing agents.

## SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, ADN, IMDG, IATA Void

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class

· 14.4 Packing group

· ADR, IMDG, IATA Void

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Not applicable.

· 14.7 Maritime transport in bulk according to IMO

*instruments* Not applicable.

• Transport/Additional information: Not dangerous according to the above specifications.

· UN "Model Regulation": Void

## SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · VOC (EU) 740.7 g/l
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

(Contd. on page 10)



Printing date 27.06.2022 Version number 10 (replaces version 8) Revision: 12.04.2022

Trade name: WAKOL R 4515 Tile cleaner

(Contd. of page 9)

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

an.